



CÓDIGO DE PRODUCTO 147-0-11


MARCA: NEGRECAL SAFETY

TABLA DE ETIQUETADO ASTM

CLASS COLOR	NOVAX™ GLOVE LABEL	TEST AC VOLTS	USE AC VOLTS	USE DC VOLTS
00 Beige	10 NOVAX" by G.B. INDUSTRIES ANSI ASSIM MEDIA 9120 CASSSO MAX USE VOLT 300V AC	2,500	500	750
0 Red	10 WAS IN THE MUNICIPAL TO THE PARTY OF THE	5,000	1,000	1,500
1 White	10 NOVAX" by G.B. INDUSTRIES ANSI / ASTM MARKET D120 CLASS 1 MAX USE VOLT 7500V AC	10,000	7,500	11,250
2 Yellow	10 NOVAX" by G.B. INDUSTRIES ANSI / ASTM AMAINTM TYPE I MAX USE VOLT 17000V AC	20,000	17,000	25,500
3 Green	10 NOVAX SEG B INDUSTRIES	30,000	26,500	39,750
4 Orange	10 NOVAX by G. B. INDUSTRIES Social ASTM months Dides CLASS 4 STM month	40,000	36,000	54,000

REFERENCIA DE ESPECIFICACIÓN DE NORMAS

OSHA Regulations	29CFR part 1910 - Occupational Safety and Health Standards			
ASTM Standards	ASTM D 120-08 - Rubber Insulating Gloves			
	ASTM- F496-08 - In-Services Care of Insulating Gloves and Sleeves			
	ASTM F696-06 - Leather Protectors for Rubber Insulating Gloves and Mittens			
	ASTM F1236-96 - Visual Inspection of Electrical Protective Rubber Products			
NFPA Standards	National Electric Safety Code - Utilities			
	NFPA 70E - Electrical Safety in the Workplace - General Workplaces			



GUANTES AISLANTES DE CAUCHO

Class	Length	Color	Style #
00	11"	Black	150-00-11
00	11"	Orange	147-00-11
00	14"	Black	150-00-14
0	11"	Black	150-0-11
0	11"	Orange	147-0-11
0	11"	Black/Orange	155-0-11
0	14"	Black	150-0-14
1	14"	Black	150-1-14
1	14"	Orange	147-1-14
1	14"	Black/Orange	155-1-14
1	16"	Black/Orange	155-1-16
2	14"	Black	150-2-14
2	14"	Orange	147-2-14
2	14"	Black/Orange	155-2-14
2	16"	Black/Orange	155-2-16
3	16"	Black	150-3-16*
3	16"	Black/Orange	155-3-16
3	18"	Black	150-3-18*
3	18"	Black/Orange	155-3-18
4	16"	Black	150-4-16*
4	16"	Black/Orange	155-4-16
4	18"	Black	150-4-18*
4	18"	Black/Orange	155-4-18

KITS DE SEGURIDAD ELÉCTRICA

Description	Class	Color	Length	Style #**
Black Class 00 Kit	00	Black	11"	150-SK-00
Orange Class 00 Kit	00	Orange	11"	147-SK-00
Black Class 0 Kit	0	Black	11"	150-SK-0
Orange Class 0 Kit	0	Orange	11"	147-SK-0
Black Class 1 Kit	1	Black	14"	150-SK-1
Orange Class 1 Kit	1	Orange	14"	147-SK-1
Black Class 2 Kit	2	Black	14"	150-SK-2
Orange Class 2 Kit	2	Orange	14"	147-SK-2



BOLSAS DE ALMACENAMIENTO (PARA GUANTES AISLANTES DE CAUCHO)

Description	Size	Color	Style #
Nylon Glove bag	11"	Black	148-2136
Nylon Glove bag	14"	Black	148-2142
Canvas Glove bag	11"	Natural	148-6011
Canvas Glove bag	14"	Natural	148-6014
Canvas Glove bag	16"	Natural	148-6016
Canvas Glove bag	18"	Natural	148-6018

PROTECTORES DE CUERO (GUANTE CUBRETODO)

Description	Class	Sizes	Style #
10" Goatskin Driver Cuff	Class 00 - 0	7-12	148-1000
13" Goatskin Gauntlet Cuff	Class 00 - 0	7-12	148-2000
12" Cowhide Gauntlet Cuff	Class 1 - 2	7-12	148-4000
12" Goatskin Gauntlet Cuff	Class 1 - 2	7-12	148-5000
14" Goatskin Gauntlet Cuff	Class 1 - 4	7-12	148-6000

Los protectores de cuero deben usarse únicamente para protección mecánica de los guantes y mitones de caucho y no deben usarse para protección eléctrica según la norma ASTM F696-02.

La longitud correcta de los protectores de cuero se encuentra en la norma ASTM F496-06.

NO. 75-2, JALAN USJ 21/11, 47630 SUBANG JAYA, SELANGOR DARUL EHSAN, MALAYSIA. TEL: 603-8023 8899 FAX: 603-8023 8877 E-MAIL: sales@gb-intl.com HomePage: http://www.gb-intl.com

TEL: 606-685 1000 FAX: 606 - 685 1488

FACTORY: LOT 3850 - 3855, CHEMBONG PHASE II INDUSTRIAL ESTATE, CHEMBONG 71300 REMBAU, NEGERI SEMBILAN DARUL KHUSUS, MALAYSIA

198701008047 (166764-T)





DECLARACIÓN DE CONFORMIDAD

Nombre del fabricante: GB INDUSTRIES SDN. BHD. 198701008047 (166764-T)

Dirección del fabricante: Lote 3850 - 3855, Chembong Fase II,

Zona Industrial, 71300 Rembau,

Negeri Sembilan Darul Khusus, Malasia

Tel: 606 685 1000

Fax: 606 685 1488

Correo electrónico: <u>qadept@gb-intl.com</u>, <u>sales@gb-intl.com</u>

Sitio web: http://www.novax-intl.com

Declara que el nuevo Equipo de Protección Personal (EPP) descrito a continuación:

- Guantes Aislantes de Goma NOVAX Clase 00, Clase 0, Clase 1, Clase 2, Clase 3 y Clase 4
- Mangas Aislantes de Goma NOVAX Clase 0, Clase 1, Clase 2, Clase 3 y Clase

Cumple con las siguientes normas:

- ASTM D120-22
- Especificación Estándar para Guantes Aislantes de Goma
- ASTM D1051-19
- Especificación Estándar para Mangas Aislantes de Goma

Y está sujeto a la evaluación de conformidad realizada por:

Akron Rubber Development Laboratory, Inc.

288 Gilchrist Rd, Akron,

Ohio 44305

Manufacturer

: General Manager - Operations Designation

Date

: February 8, 2024